ELSEVIER

Volume 204, Issues 1–3, 11 August 2008

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Contents

Influence of injection parameters on the formation of blush in injection moulding of PVC 1
J. Lladó, B. Sánchez

A study of die design of semi-solid die casting according to gate shape and solid fraction 8
C.G. Kang, S.M. Lee, B.-M. Kim

Control of welding residual stress for dissimilar laser welded materials 22
E.M. Anawa, A.G. Olabi

Effect of expanded perlite aggregate on the properties of lightweight concrete 34
İ.B. Topçu, B. Işıkdağ

The effect of coatings on the thermo-mechanical response of cylindrical specimens during quenching 39
P. Ulysse, R.W. Schultz

Phase transformations across high strength dissimilar steel inertia friction weld 48
R. Moat, M. Karadge, M. Preuss, S. Bray, M. Rawson

Optimization of tensile properties of evaporative pattern casting process through Taguchi's method 59
S. Kumar, P. Kumar, H.S. Shan

Improvement in formability of tailor welded blanks by application of counter pressure in biaxial stretch forming 70
S.K. Panda, D.R. Kumar

Effect of cutting speed on the performance of coated and uncoated cutting tools in turning nodular cast iron 80
R. Yigit, E. Celik, F. Findik, S. Koksal

Validation of FE simulation based on surface roughness model in micro-deep drawing 89
K. Manabe, T. Shimizu, H. Koyama, M. Yang, K. Ito

Improved surface roughness as a result of free-form surface machining using self-organized neural network 94
M. Korosec, J. Kopac

Melt extraction of short metallic filaments: Fibre formation process revisited 103
A. Cramer, G. Gerbeth

Spark plasma sintering cobalt base superalloy strengthened by Y–Cr–O compound through high-energy milling 111
C.F. Tang, F. Pan, X.H. Qu, C.C. Jia, B.H. Duan, X.B. He

Unified formulation for ultimate capacity of shear failure of arc spot welding using genetic programming 117
A. Cevik

Investigation of Ni nanocrystallization and the effect of Al_2O_3 addition by high-energy ball milling 125
T. Mousavi, F. Karimzadeh, M.H. Abbasi, M.H. Enayati

A study of computer-assisted analysis of effects of drill geometry and surface coating on forces and power in drilling 130
J. Audy

Thermometric behaviour of cobalt in HNO_3 solutions 139
S.M. Abd El Haleem, E.E. Abd El Aal

(Contents continued on page I)

0924-0136(20080811)204:1/3;1-D

(Contents continued from OBC)

Hot deformation behavior of a spray formed superalloy 147
F.W. Kang, G.Q. Zhang, J.F. Sun, Z. Li, J. Shen

A flying gauge change model in tandem cold strip mill 152
J.S. Wang, Z.Y. Jiang, A.K. Tieu, X.H. Liu, G.D. Wang

Effect of plug on levelling of residual stress in tube drawing 162
T. Kuboki, K. Nishida, T. Sakaki, M. Murata

Effect of process parameters on product surface finish and thickness variation in hydro-mechanical deep drawing 169
S.K. Singh, D. Ravi Kumar

Effect of Zr on glass-forming ability and crystallization kinetics of $Y_{56}Al_{24}Co_{20}$ metallic glass 179
S. He, Y. Liu, B. Huang, Z. Li, H. Wu

Thermal-sprayed coatings on aluminium for mould tool protection and upgrade 184
G.J. Gibbons, R.G. Hansell

Effect of heat treatment, lubricant and sintering temperature on dry sliding wear behavior of medium alloyed chromium PM steels 192
A. Babakhani, A. Haerian, M. Ghambri

Modification of mechanical properties of sintered implant materials on the base of Co–Cr–Mo alloy 199
M. Grądzka-Dahlke, J.R. Dąbrowski, B. Dąbrowski

Effect of multi-impacts on a PMMA sheet material 206
S.K. Sahoo, V.V. Silberschmidt

Chip thickness analysis for different tool motions. for adaptive feed rate 213
L. Saï, W. Bouzid, A. Zghal

Microstructural, thermal and mechanical properties of HVOF sprayed Ni–Al-based bond coatings on stainless steel substrate 221
O. Culha, E. Celik, N.F. Ak Azem, I. Birlik, M. Toparli, A. Turk

The effect of hot isostatic pressing on the fatigue behaviour of sand-cast A356-T6 and A204-T6 aluminum alloys 231
L. Ceschini, A. Morri, G. Sambogna

A mathematical model to characterize effect of silica content in the boiler fly ash on erosion behaviour of boiler grade steel 239
S.K. Das, K.M. Godiwalla, S.S. Hegde, S.P. Mehrotra, P.K. Dey

Fabrication of thin and dense nano-crystalline membranes on porous substrates 248
V. Faucheux, M. Audier, L. Rapenne, S. Pignard

Grain refinement and strain hardening in IF steel during multi-axis compression: Experiment and modelling 255
H. Petryk, S. Stupkiewicz, R. Kuziak

Evaluation of continuous grinding tests on some marble and limestone units with silicon carbide and diamond type abrasives 264
K. Görgülü, A. Ceylanoğlu

Experimental validation of numerical thermal models for dry grinding 269
D. Anderson, A. Warkentin, R. Bauer

Alumina–mild steel friction welded at lower rotational speed 279
M.Z. Noh, L.B. Hussain, Z.A. Ahmad

Manufacturing in blow molding: Time reduction and part quality improvement 284
A. Attar, N. Bhuiyan, V. Thomson

Incremental forming of sandwich panels 290
K.P. Jackson, J.M. Allwood, M. Landert

Influence of the deposition techniques on the mechanical properties and microstructure of NiCrBSi coatings 304
T. Gómez-del Río, M.A. Garrido, J.E. Fernández, M. Cadenas, J. Rodríguez

State of art of impact tensile test (ITT): Its historical development as a simulated crash test of industrial materials and presentation of new "ductile/brittle" transition diagrams 313
E. Bayraktar, D. Kaplan, F. Schmidt, H. Paqueton, M. Grumbach

Synthesis of Ag nanoparticles by hydrolysis of Mg–Ag intermetallic compounds 327
H. Wang, Y. Lou, D.O. Northwood

A comparative analysis of the geometrical surface texture of a real and virtual model of a tooth flank of a cylindrical gear 331
J. Michalski, L. Skoczylas

The effect of time and temperature on the precipitation behavior and hardness of Al–4 wt%Cu alloy using design of experiments 343
A.M. Hassan, O.M. Bataineh, K.M. Abed

An experimental study for optimization of electrical discharge turning (EDT) process 350
P. Matoorian, S. Sulaiman, M.M.H.M. Ahmad

Innovative design of a hybrid tool for turning assisted with superficial cold forming 357
D.A. Axinte, Y.Y. Cao

Dilatometry determination of phase transformation temperatures during heating of Nb bearing low carbon steels 365
A.I.Z. Farahat

Numerical investigations on springback characteristics of aluminum sheet metal alloys in warm forming conditions 370
H.S. Kim, M. Koç

A solid model-based off-line adaptive controller for feed rate scheduling for milling process 384
K.P. Karunakaran, R. Shringi

Rheological characterisation of recycled poly(ethylene terephthalate) modified by reactive extrusion 397
F. Daver, R. Gupta, E. Kosior

A volumetric approach for STL generation from 3D scanned products 403
L.M. Galantucci, G. Percoco, U. Dal Maso

Optimization of kerf quality during pulsed laser cutting of aluminium alloy sheet 412
A.K. Dubey, V. Yadava

Investigation into equal channel angular extrusion process of billet with internal defects 419
D.-C. Chen, C.-P. Chen

Analysis of 3D rolling forming with generalized rigid-plastic boundaries approach 425
J.-P. Wang, W.-C. Kao, H.-D. Lee, J. Wang

Carbon fiber reinforced silicon carbide mini-composites-solution approach 434
N. Padmavathi, J. Subrahmanyam, K.K. Ray, R. Mohanrao, P. Ghosal, S. Kumari

Comparative study: Mechanical and metallurgical aspects of tailored welded blanks (TWBs) 440
E. Bayraktar, D. Kaplan, B.S. Yilbas

Heat transfer in multi-block grid during solidification: Performance of Finite Differences and Finite Volume methods 451
A. Rouboa, E. Monteiro

Selection of optimal MQL and cutting conditions for enhancing machinability in turning of brass 459
V.N. Gaitonde, S.R. Karnik, J.P. Davim

Evaluation on the reliability of criterions for glass-forming ability of Fe(Co)-based bulk metallic glasses 465
X. Liang, T. Erenc-Sedziak, M. Kowalczyk, T. Kulik, B. Xu

Analysis of surface roughness parameters in turning of FRP tubes by PCD tool 469
K. Palanikumar, F. Mata, J.P. Davim

3D filling simulation of injection molding based on the PG method 475
H. Zhou, B. Yan, Y. Zhang

High quality p-type ZnO films grown by low pressure plasma-assisted MOCVD with N_2O rf plasma doping source 481
T. Yang, J. Bian, H. Liang, J. Sun, X. Wang, W. Liu, Y. Chang, G. Du

The effect of laser shock peening on the life and failure mode of a cold pilger die 486
C.A. Lavender, S.-T. Hong, M.T. Smith, R.T. Johnson, D. Lahrman

Centrifugal precision cast TiAl turbocharger wheel using ceramic mold 492
W. Shouren, G. Peiquan, Y. Liying

Effect of carbon monoxide on the carbothermal reduction and nitridation reaction of alumina 498
H.U. Joo, W.-S. Jung

Development of self-built multilayer aligner for imprint process 502
C.T. Pan, R.H. Cheng

A technical note on profile curves design of tooth-shaped rolls 508
J. Ma, W. Zhang

A versatile method for preparing $FePO_4$ and study on its electrode performance in lithium ion batteries .. 513
Y. Xu, Y. Lu, P. Yin, L. Yan, Z. Yang, R. Yang

Author index 520

Subject index 522